

PRODUCT FAMILY DATASHEET

OSRAM NATURA T8

Tubular fluorescent lamps 26 mm, with G13 bases, for food presentation



AREAS OF APPLICATION

- Bakeries, meat processors, butchers
- Shops
- Supermarkets and department stores
- Especially suitable for the food sector (DIN 10504)

PRODUCT BENEFITS

- Specially tailored spectral distribution
- Food looks fresh and appetizing without unduly “beautifying” it

PRODUCT FEATURES

- Average lifetime: 20,000 h with preheat ECG





TECHNICAL DATA

Product description	Electrical data	Photometrical data		Dimensions & weight		Temperatures & operating conditions	Lifespan		Additional product data		Capabilities	Certificates & standards
	Nominal wattage	Luminous flux at 25 °C	Light color (designation)	Tube diameter	Length with base excl. base pins/connection	Rated ambient temp.w. max.luminous flux	Service life	Lifespan	Base (standard designation)	Show WEEE picto	Suitable for indoor	Energy consumption
L 15 W/76	15.00 W	500 lm	NATURA	26 mm	438.00 mm	25.0 °C	18000 h ¹⁾	20000 h ¹⁾	G13	Yes	Yes	20 kWh/1000h
L 18 W/76	18.00 W	750 lm	NATURA	26 mm	590.00 mm	25.0 °C	18000 h ¹⁾	20000 h ¹⁾	G13	Yes	Yes	23 kWh/1000h
L 30 W/76	30.00 W	1300 lm	NATURA	26 mm	895.00 mm	25.0 °C	18000 h ¹⁾	20000 h ¹⁾	G13	Yes	Yes	37 kWh/1000h
L 36 W/76	36.00 W	1800 lm	NATURA	26 mm	1200.00 mm	25.0 °C	13000 h ¹⁾	20000 h ¹⁾	G13	Yes	Yes	44 kWh/1000h
L 36 W/76-1	36.00 W	1600 lm	NATURA	26 mm	970.00 mm	25.0 °C	13000 h ¹⁾	20000 h ¹⁾	G13	Yes	Yes	44 kWh/1000h
L 58 W/76	58.00 W	2850 lm	NATURA	26 mm	1500.00 mm	25.0 °C	18000 h ¹⁾	20000 h ¹⁾	G13	Yes	Yes	69 kWh/1000h

Product description	Energy efficiency class
L 15 W/76	B
L 18 W/76	B
L 30 W/76	B
L 36 W/76	B
L 36 W/76-1	B
L 58 W/76	B

¹⁾ With preheat ECG



L 15 W/76, L 18 W/76, L 30 W/76, L 36 W/76, L 36 W/76-1, L 58 W/76

L 15 W/76, L 18 W/76, L 30 W/76, L 36 W/76, L 36 W/76-1, L 58 W/76

SAFETY ADVICE

In case of lamp breakage: www.ledvance.com/brokenlamp

APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300018287	L 15 W/76	Shipping carton box 10	517 mm x 69 mm x 152 mm	5.42 dm ³	864.00 g
4050300010519	L 18 W/76	Shipping carton box 10	510 mm x 210 mm x 145 mm	15.53 dm ³	1140.00 g
4050300010540	L 30 W/76	Shipping carton box 10	937 mm x 69 mm x 145 mm	9.37 dm ³	1661.00 g

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300010526	L 36 W/76	Shipping carton box 10	1244 mm x 64 mm x 150 mm	11.94 dm ³	1765.33 g
4050300010526	L 36 W/76	Shipping carton box 25	1242 mm x 142 mm x 145 mm	25.57 dm ³	5125.00 g
4050300010557	L 36 W/76-1	Shipping carton box 10	1012 mm x 69 mm x 145 mm	10.13 dm ³	1824.00 g
4050300010533	L 58 W/76	Shipping carton box 10	1542 mm x 62 mm x 145 mm	13.86 dm ³	2704.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.