

PRODUCT DATASHEETDECOSTAR 35 10 W 12 V 36° GU4

DECOSTAR 35 | Halogen dichroic reflector lamps with 35 mm diameter



AREAS OF APPLICATION

- General illumination
- Workplace lighting
- Kitchen lighting
- Mirror lighting
- Object lighting
- Shops
- Restaurants, hotels and similar prestigious applications

PRODUCT BENEFITS

- Brilliant accent light
- Dichroic reflector reduces the heat in the light beam by up to 66 %
- Approved for use in open luminaires (to IEC 60598-1)
- UV filter
- Contains no mercury

PRODUCT FEATURES

Average life: 2,000 h100 % dimmable

- Color rendering index R_a: 100

- Diameter: 35 mm

- Deco cover

TECHNICAL DATA

Electrical data

Nominal wattage	10.00 W
Nominal voltage	12 V
Rated wattage	10.00 W
Power factor λ	1.00


Photometrical data

Nominal useful luminous flux 90°	90 lm	
Luminous intensity	300 cd	
Rated color temperature	2800 K	
Light color (designation)	Warm White	
Color rendering index Ra	100	
Lumen main.fact.at end of nom.life time	0.75	
Rated useful luminous flux 90°	90 lm	
Rated peak intensity	300 cd	

Light technical data

Beam angle	36 °	
Nominal beam angle	36 °	
Starting time	0.0 s	
Warm-up time (60 %)	0.00 s	
Rated beam angle (half peak value)	36.00 °	

Dimensions & weight



Diameter	35.0 mm
Length	40.0 mm
Overall length	42.0 mm
Outer bulb	Т9


- ,			
Maximum diameter	35.0 mm		
116			
Lifespan			
Nominal lamp life time	4000 h		
Rated lamp life time	4000 h		
Number of switching cycles	100000		
Additional product data			
Base (standard designation)	GU4		
Mercury content	0.0 mg		
Mercury-free	Yes		
Capabilities			
Burning position	Any		
Dimmable	Yes		
Certificates & standards			
Energy efficiency class	С		
Energy consumption	11 kWh/1000h		

HRGS//UB-10-12-GU4-35/36

Country-specific categorizations

ILCOS

Light Distribution



Spectral power distribution

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300443935	DECOSTAR 35 10 W 12 V 36° GU4	Shipping carton box 10	178 mm x 69 mm x 72 mm	0.88 dm³	227.40 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.