

PRODUCT DATASHEET HALOPAR 30 75 W 230 V 10° E27

HALOPAR 30 | Halogen lamps with parabolic reflector PAR30, with screw base



AREAS OF APPLICATION

- General illumination
- Workplace lighting
- Kitchen lighting
- Object lighting
- Accent lighting
- Shops
- Restaurants, hotels and similar prestigious applications

PRODUCT BENEFITS

- Brilliant accent light
- With whole glass reflector for brilliant lighting effects
- Instant 100 % light, no warm-up time
- Approved for use in open luminaires (to IEC 60598-1)
- Contains no mercury
- UV filter

PRODUCT FEATURES

- Average life: 2,000 h100 % dimmable
- Perfect color rendering (R_a: 100)
- Color temperature: 2,900 K

TECHNICAL DATA

Electrical data

Nominal wattage	75.00 W
Nominal voltage	230 V
Rated wattage	75.00 W


Photometrical data

Luminous intensity	6900 cd	
Rated color temperature	2900 К	
Light color (designation)	Warm White	
Color rendering index Ra	100	

Light technical data

Beam angle	10 °		
Starting time	0.0 s		

Dimensions & weight



Diameter	97.0 mm
Length	90.5 mm
Overall length	90.5 mm
Outer bulb	PAR95

Additional product data

Base (standard designation)	E27		
Mercury-free	Yes		
Product remark	Not suitable for outdoor use or damp conditions/Banned from 1.9.2016 as per EU phase-out plan		


Capabilities

Ì	Burning position	Any

Dimmable	Yes

Country-specific categorizations

Light Distribution



Spectral power distribution

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300338460	HALOPAR 30 75 W 230 V 10° E27	Shipping carton box 15	521 mm x 172 mm x 336 mm	30.11 dm³	3480.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.