

64193CBI

COOL BLUE INTENSE | Halogen headlight lamps for cars

Areas of application

- Headlight
- Ideal for use in clear-glass headlights

Product benefits

- Stylish look
- Up to 20 % more light (compared to standard halogen lamps)
- Bluish white light for xenon look

Product features

- High luminous flux
- Headlight lamp for bluest legally approved halogen light
- Modern design with a silver cap (H4/H7)



Product datasheet

Technical data

Electrical data


Power input	75 / 68 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	60/55 W
Test voltage	13.2 V

¹⁾ Maximum

Photometrical data

Luminous flux	1650/1000 lm
Luminous flux tolerance	±12 / ±15 %

Dimensions & weight



Length	82.0 mm
Diameter	17.0 mm
Product weight	25.60 g

Lifespan

Lifespan B3	50 / 200 h ¹⁾
Lifespan Tc	100 / 400 h ¹⁾

¹⁾ Filament 1 / Filament 2

Additional product data

Base (standard designation)	P43t
-----------------------------	------

Certificates & standards

ECE category	H4
--------------	----

Product datasheet

Country specific categorizations

Order reference	64193CBI
-----------------	----------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321650733	64193CBI	Hard Cover Box 2	115 mm x 47 mm x 95 mm	0.51 dm ³	135.20 g
4008321650740	64193CBI	Shipping carton box 20	250 mm x - x 240 mm	6.36 dm ³	1430.00 g
4008321650894	64193CBI	Folding carton box 1	71 mm x 47 mm x 47 mm	0.16 dm ³	28.00 g
4008321650900	64193CBI	Bundle 10	94 mm x 71 mm x 240 mm	1.60 dm ³	284.00 g
4008321650917	64193CBI	Shipping carton box 100	485 mm x - x 250 mm	19.40 dm ³	3127.00 g
4008321651280	64193CBI	Blister 1	93 mm x 51 mm x 53 mm	0.25 dm ³	32.00 g
4008321651297	64193CBI	Shipping carton box 10	335 mm x - x 116 mm	5.63 dm ³	466.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.