




















Combination of modular devices and plates

Plates		Modular devices							
		Conventional commands	Electronic push-buttons	Touch commands	Socket-outlets / other devices	Touch command modules			
						Conventional	KNX	KNX with interchangeable symbols	
ONE		✓	✓	✓	✓	-	-	-	
GEO		✓	✓	✓	✓	-	-	-	
LUX		✓	✓	✓	✓	-	-	-	
ART		✓	✓	✓	✓	-	-	-	
ICE	ICE		✓	✓	✓	✓	-	-	-
	ICE Touch (1, 2 or 3 printed symbols)		-	-	-	-	✓	-	-
	ICE Touch KNX (2, 4 or 6 printed symbols)		-	-	-	-	-	✓	-
	ICE Touch KNX		-	-	-	-	-	-	✓


Dimension tables

SUPPORTS




ARRAY OF SUPPORTS FOR INTERNATIONAL PLATES

Horizontal array (centre distance of 71mm)




Vertical array (centre distance of 71mm)









Vertical array (centre distance of 57mm)


The square supports
GW 16 821, GW 16 822, GW 16 823,
thank to the knockouts,
can be also put side by side
with a centre distance of 57mm.




CENTRE DISTANCE OF BOXES FOR THE CORRECT FIXING OF THE CHORUS ONE, GEO, LUX, ART AND ICE PLATES (MINIMUM RECOMMENDED DISTANCES)



ONE PLATES




ONE INTERNATIONAL PLATES




For technical information contact the Technical Assistance Service or visit gewiss.com


GEO PLATES




GEO INTERNATIONAL PLATES




LUX PLATES




2 GANG



3 GANG




4 GANG




6 GANG


LUX INTERNATIONAL PLATES




2 GANG




2+2 GANG HORIZ.




2+2+2 GANG HORIZ.




2+2+2 GANG HORIZ.




2+2 GANG VERT. CENTRE DISTANCE 57



2+2 GANG VERT. CENTRE DISTANCE 71






2+2+2 GANG VERT.



2+2+2 GANG VERT.


For technical information contact the Technical Assistance Service or visit gewiss.com

ART PLATES




ICE PLATES


ICE plates




ICE touch plates with printed symbols




ICE touch KNX plates with printed symbols




ICE touch KNX plates (for push-button panels modules with interchangeable symbols)




WATERTIGHT PLATES - IP55



2 GANG
GW 16 702 TB - GW 16 702 TN - GW 16 702 VT




3 GANG
GW 16 703 TB - GW 16 703 TN - GW 16 703 VT





4 GANG
GW 16 704 TB - GW 16 704 TN - GW 16 704 VT


FREE-STANDING PANELS - SUITABLE FOR ONE PLATES



4 GANG
GW 16 854 - GW 16 864




6 GANG
GW 16 856 - GW 16 866




Screw tightening torque: 0.8 Nm

WALL-MOUNTING BOXES - SUITABLE FOR ONE PLATES




Screw tightening torque: 0.8 Nm

WALL-MOUNTING BOXES - SUITABLE FOR ONE INTERNATIONAL PLATES




Screw tightening torque: 0.8 Nm


SELF-SUPPORTING PLATES FOR PROFILES AND PANELS



1 GANG
GW 16 711 TB - GW 16 711 TN - GW 16 711 VT




DIMENSIONS OF THE OPENING




2 GANG
GW 16 712 TB - GW 16 712 TN - GW 16 712 VT

Code	A	B	C
GW 16 711 TB	67	54	31.5
GW 16 711 TN			
GW 16 711 VT			
GW 16 712 TB	67	54	56.5
GW 16 712 TN			
GW 16 712 VT			

BLANK PLATES




3 GANG
GW 16 723 TB - GW 16 723 TN




4 GANG
GW 16 724 TB - GW 16 724 TN


DIN RAIL SUPPORT



1 module
GW 16 841




2 modules
GW 16 842




3 modules
GW 16 843

SELF-SUPPORTING, EMPTY, PROTECTED CONTAINERS - IP40




Screw tightening torque: 0.8 Nm

SELF-SUPPORTING, EMPTY, WATERTIGHT CONTAINERS - IP55



Screw tightening torque: 0.8 Nm



For technical information contact the Technical Assistance Service or visit gewiss.com

PLATES



ONE
GW 16 101 xx



GEO
GW 16 401 xx



ONE
GW 16 102 xx



GEO
GW 16 402 xx



LUX
GW 16 202 xx



ART
GW 16 302 xx



ONE
GW 16 103 xx



GEO
GW 16 403 xx



LUX
GW 16 203 xx



ART
GW 16 303 xx



ICE
GW 16 903 xx



ICE TOUCH
GW 16 951 xx



GEO
GW 16 952 xx



LUX
GW 16 953 xx

ICE TOUCH KNX



GW 16 962 xx



GEO
GW 16 964 xx



LUX
GW 16 966 xx

ICE TOUCH KNX (for push-button panel modules with interchangeable icons)



GW 16 946 xx

IP55 Watertight plates (*)



GW 16 703 xx



ONE
GW 16 104 xx



GEO
GW 16 404 xx



LUX
GW 16 204 xx



ART
GW 16 304 xx



ICE
GW 16 904 xx

IP55 Watertight plates (*)



GW 16 704 xx



ONE
GW 16 106 xx



GEO
GW 16 406 xx



LUX
GW 16 206 xx



GW 16 108 TB - GW 16 108 VT



GW 16 112 TB - GW 16 112 VT



ONE
GW 16 101 xx



GEO
GW 16 401 xx



ONE
GW 16 102 xx



GEO
GW 16 402 xx



LUX
GW 16 202 xx



ART
GW 16 302 xx


IP55 Watertight plates (*)



GW 16 702 xx

(*) Supports already included

For technical information contact the Technical Assistance Service or visit gewiss.com



PLATES

ONE
INTERNATIONAL



GW 16 122 xx

GEO
INTERNATIONAL



GW 16 422 xx

LUX
INTERNATIONAL



GW 16 222 xx

ONE
INTERNATIONAL



GW 16 123 xx

GEO
INTERNATIONAL



GW 16 423 xx

LUX
INTERNATIONAL



GW 16 223 xx

ONE
INTERNATIONAL



GW 16 126 xx

GEO
INTERNATIONAL



GW 16 426 xx

LUX
INTERNATIONAL



GW 16 226 xx

ONE
INTERNATIONAL



GW 16 128 xx

LUX
INTERNATIONAL



GW 16 228 xx

	FLUSH-MOUNTING BOXES	SUPPORTS	DEVICES
2+2M VERTICAL 57MM	<p>GW 24 282 PM</p>	<p>2 x GW 16 822 (*)</p> <p>(*) Couple two supports GW 16 822 vertically by breaking off the removable wings on each one.</p>	
2+2M VERTICAL	<p>2 x GW 24 231</p> <p>2 x GW 24 234 PM</p> <p>2 x GW 24 232</p>	<p>2 x GW 16 822</p> <p>2 x GW 16 821 - GW 16 822 - GW 16 823</p>	
2+2+2M VERTICAL	<p>3 x GW 24 231</p> <p>3 x GW 24 234 PM</p> <p>3 x GW 24 232</p>	<p>3 x GW 16 822</p> <p>3 x GW 16 821 - GW 16 822 - GW 16 823</p>	
2+2+2+2M VERTICAL	<p>4 x GW 24 231</p> <p>4 x GW 24 234 PM</p> <p>4 x GW 24 232</p>	<p>4 x GW 16 822</p> <p>4 x GW 16 821 - GW 16 822 - GW 16 823</p>	

PLATES

ONE
INTERNATIONAL



GW 16 125 xx

LUX
INTERNATIONAL



GW 16 225 xx

ONE
INTERNATIONAL



GW 16 124 xx

GEO
INTERNATIONAL



GW 16 424 xx

LUX
INTERNATIONAL



GW 16 224 xx

ONE
INTERNATIONAL



GW 16 127 xx

GEO
INTERNATIONAL



GW 16 427 xx

LUX
INTERNATIONAL



GW 16 227 xx

ONE
INTERNATIONAL
























GW 16 129 xx

LUX
INTERNATIONAL



GW 16 229 xx

	WALL-MOUNTING AND FREE-STANDING BOXES	SUPPORTS	DEVICES
3M	 GW 16 743 - GW 16 773	 GW 16 803	
4M	 GW 16 744 - GW 16 774	 GW 16 804	
2M	 GW 16 752 - GW 16 782	 GW 16 822	
2+2M HORIZONTAL	 GW 16 753 - GW 16 783	 2 x GW 16 822	
2+2M VERTICAL	 GW 16 754 - GW 16 784	 2 x GW 16 822	
4M	 GW 16 854 - GW 16 864	 GW 16 804	
6M	 GW 16 856 - GW 16 866	 GW 16 806	

PLATES

ONE



GW 16 103 xx

ONE



GW 16 104 xx

ONE
INTERNATIONAL



GW 16 122 xx

ONE
INTERNATIONAL



GW 16 123 xx

ONE
INTERNATIONAL



GW 16 124 xx

ONE



GW 16 104 xx

ONE



GW 16 106 xx