




Wall Lights | 220-240 V | 1xG9
6410



Technical data	
Installation position	Wall lights - Ceiling
Installation environment	Indoor
Power	1 x 33
Lamp cap	1 x G9
Frequency	50-60 Hz
Optic	Diff. + Diff.
Light emission direction	frontal
Safety class	2
IP	IP44
Glow wire test	850°
Direct mounting on normally flammable surfaces	Yes
CE	Yes
ETL	No
Induzione	No
Emergency mode	No
Directional	No
Tilting	No
Walk-over	No
Drive-over	No
Cable included	No
Resin potting	No

Finishing casing

Material	Iron
Colour	chrome
Processing	Electroplating

Finishing diffuser

Material	Glass
Colour	white
Processing	Silk-screening

Finishing mounting frame

Material	PC
Colour	transparent



Wall Lights | 220-240 V | 1xG9
6410

Single emission wall lights for indoor application. Halogen lamp included 33W, lamp cap 1xG9.

The device body is made of iron and features a chrome finish, processed by means of electroplating; the diffuser is made of glass with a silk-screening treatment; the mounting frame is made of PC, with a transparent finish. The ingress protection degree is IP44; the total weight is of 0.260 kg.

The device features protection class II and can be wall lights or ceiling-mounted.

Illuminotechnical Features

Luminous flux (source)	460 lm
Colour temperature	2700 K
Colour rendering index	100 Ra