Wall Lights | 220-240 V | 2xG9 3670



| | 98 | \bigcap |
|-----|----|-----------|
| 180 | | 146 |

🕱 🕼 🗆 🖻 🖒

| Technical data | | |
|--|------------------|--|
| Туре | Surface | |
| Installation position | Wall lights | |
| Installation environment | Indoor | |
| Power | 2 x 33 W | |
| Lamp cap | 2 x G9 | |
| Frequency | 50-60 Hz | |
| Optics | General Lighting | |
| Light emission direction | downward | |
| Safety class | 2 | |
| IP | IP20 | |
| Glow wire test | 850° | |
| Direct mounting on normally flammable surfaces | Yes | |
| CE | Yes | |
| ETL | No | |
| Fire Rated (BS 476 PT21 compliant) | No | |
| Induction | No | |
| Motion sensor | No | |
| Directional | No | |
| Tilting | No | |
| Walk-over | No | |
| Drive-over | No | |
| Cable included | No | |
| Resin potting | No | |
| Net weight | 0.270 Kg | |

| Finishing casing | | |
|------------------|----------------|--|
| Material | Iron | |
| Colour | chrome | |
| Processing | Electroplating | |
| | | |
| Finishing diffus | r | |
| Material | Glass | |
| Colour | white | |

Sandblasting

Processing

Wall Lights | 220-240 V | 2xG9 3670

Double emission wall lights for indoor application. Halogen lamp included 33W, lamp cap 2xG9.

The device body is made of iron and features a chrome finish, processed by means of electroplating; the diffuser is made of glass with a sandblasting treatment. The ingress protection degree is IP20; the total weight is of 0.270 kg.

The device features protection class II and can be wall lights-mounted.

| Illuminotechnical Features | | |
|----------------------------|--------|--|
| Source lumens | 920 lm | |
| Colour temperature | 2700 K | |
| Colour rendering index | 100 Ra | |

Fotis_R | Wall Lights | Accessories 3670

