




Wall Lights | 1 x powerLEDs 0,9 W 24 V | Modular | RGB
7760



Technical data	
Designer	Lorenzo Antonioni
Installation position	Wall lights - Ceiling
Installation environment	Indoor
Light Source	LED
Optics	General Lighting
Power	0.9 W
Tensione	24V
CCT / Tonalità	RGB
C.C. / C.V.	CV
Safety class	3
IP	IP20
Glow wire test	650°
Direct mounting on normally flammable surfaces	Yes
CE	Yes
ETL	No
Driver included	No
Induzione	No
Emergency mode	No
Directional	No
Tilting	No
Walk-over	No
Drive-over	No
Cable included	No
Resin potting	No
Net weight	0.750 Kg

Finishing casing

Material	ABS
Colour	White RAL 9003
Processing	Coating

Finishing diffuser

Material	PC
Colour	white
Processing	Sandblasting

Electronics



Kit0011
DMX Multi Channel 6ch. 24V DC 288 W



Kit0019
On/Off Driver 220-240V AC / 176-264V DC 19.2 W



Kit0020
On/Off Driver 220-240V AC / 176-264V DC 70 W



Kit0021
On/Off Driver 220-240V AC / 176-264V DC 150 W



Wall Lights | 1 x powerLEDs 0,9 W 24 V | Modular | RGB
7760

Single emission wall lights for indoor application. The RGB LED light source with a general lighting light distribution is composed of 1 powered LEDs and an operating lifetime (L80) of 80000 hours.

The device body is made of ABS and features a white ral 9003 finish, processed by means of coating; the diffuser is made of PC with a sandblasting treatment. The ingress protection degree is IP20; the total weight is of 0.750 kg. The power supply driver is not provided and is to be ordered separately.

The total absorbed power is 0,9 W.

The device features protection class III and can be wall lights or ceiling-mounted.



	<p>Cable and connector Length 1200 mm; section 0,25 mm²; colors: bianco - nero - giallo.</p>	<p>Code <u>KIT0053</u></p>	
	<p>Cable and connector Length 400 mm; section 0,25 mm²; colors: blu - marrone.</p>	<p>Code <u>KIT0054</u></p>	
	<p>Cable and connector Length 600 mm; section 0,35 mm²; colors: nero - rosso.</p>	<p>Code <u>KIT0049</u></p>	
	<p>Cable and connector Section 1 mm²; colors: nero - rosso.</p>	<p>Code <u>KIT0052</u></p>	
	<p>Cable and connector Length 320 mm; colors: grigio.</p>	<p>Code <u>KIT0050</u></p>	
	<p>Connector</p>	<p>Code <u>KIT0051</u></p>	
	<p>Bracket Material:ABS, colour:White RAL 9003, processing:Coating.</p>	<p>Finish White Code <u>KIT0048</u></p>	
		<p>Diffuser</p>	<p>Code <u>7761_Diffusore</u></p>

